









Cal Januare,












Ficher pine


Delivery of their control or


- ։ Tuponia Hippophaes, Mey δ 🖟 Maurodaetylus migricornis, աև
 - id prasine New 8 5
- id alu
 - alutaceus, Firb
 - bicolor . (Fieb.) Beut
- 7. Meśalodactylus macula rubra, Mwa ne Rej
- 8 Auchenocrepis minutissima, Rumb
- g Sthenarus ochraceus, fruit y












itrartetomus confetus, # 200 , # Psallus diminutus,


id machicornis, 200 f 5 id dilutus, 200 / 200 f 8

\$yrotrishus,
























etrini. Programs of the second of the secon




Marco Educ examiguio, # 67

. Haco Educ seta foncus, #67

- Time ophalus inderegand 22 6 th Constable in reactive of the reactive of the
- o Solenovychuc macri ero, Jene , i Phenoparia Put m. ast







1 Anderopa transmitute, 1 - ...
Leucquinum far atom. Tak Marana,
2n otykin sepirana, 1 - 2.

to a type particle of more special control of the second o


·		

Reuter Hem. Tymn Europae, III.















		,	
	<i></i>		
		,	










- 1 Camptotylus Yersini, M. .:
 2 1d. Mayeri, Fit
 3 Plagiotylus maculatus, Fid


	,		



















1					
1 a	1 b	1 c		1 4	2 n
2 1,	2 c	3 a		3 b	4 a
	, t	′ .		1,5()	
4.					
4 b	5 a	5 h		6 a	• 1
		result.		. /	
7 a	7 Ъ	8 a		8 b	9
		* <i>&</i>	3,	the second second	.:
	11 a	11 b	12	13	14
10				1	
	•	2000 C	2		
1 5 a				17 a	15.4
	15 b	16 a	16 b	53	17- Б
		The state of			
	Tay of		18 C	18 d	
17 ¢	18 a	18 b			
		•			22 n
20	19 b	10	20 a	201	
19 n		19 c			
21 a	21 b	20 ()	23 а	23 b	
				. 1	




1 a	1 Ъ	2 n		
3 a	3 b			
		. 4 a	4 b	
•			· · · ·	
·	1	ба	6.17	
5 b	5 e ,			7 n
5				
	8	9 a	9 b	
7 b		-		в 01
·	•			1 1
10 b	10 c	11 a	11 h	12
*,				
		\		
13 a	13 Ъ	13 c	14	
	, ,		-	17
16 a				//
	16 h		18	~ ~ .
		17		19 a
				,
19 h	20 a			
16.00		20 b		21 a
				·
21 h	22 a		22 b	
i C				22 •
· .				




















1. Megazorium miusum H. Sch.

- 4. Climps Late. Reut.
- 5. Perinor diturns Reut.
- d Carrier Rent.
- .. t . " Sant ! Fich.
- 4. 1' 19' . Costic.









Calocaris

- 2. C. tuscescens Reut
- 3 C. nehulosus Fiel







Lodus sulcatus Fiei
. mat Rossi var.
Gingulatus Fieb.

is nichte *Fieb*. Minidius er ibilvin









